

Latest update of reporting guidelines added to the EQUATOR Network reporting guideline database

<http://www.equator-network.org/reporting-guidelines/>

STARD 2015: An Updated List of Essential Items for Reporting Diagnostic Accuracy Studies

<http://www.equator-network.org/reporting-guidelines/stard/>

The REporting of studies Conducted using Observational Routinely-collected health Data (RECORD) Statement

<http://www.equator-network.org/reporting-guidelines/record/>

A checklist to improve reporting of group-based behaviour-change interventions

<http://www.equator-network.org/reporting-guidelines/a-checklist-to-improve-reporting-of-group-based-behaviour-change-interventions/>

Preferred reporting items for studies mapping onto preference-based outcome measures: The MAPS statement

<http://www.equator-network.org/reporting-guidelines/maps-statement/>

A consensus approach toward the standardization of back pain definitions for use in prevalence studies

<http://www.equator-network.org/reporting-guidelines/a-consensus-approach-toward-the-standardization-of-back-pain-definitions-for-use-in-prevalence-studies/>

A reporting guide for studies on individual differences in traffic safety

<http://www.equator-network.org/reporting-guidelines/a-reporting-guide-for-studies-on-individual-differences-in-traffic-safety/>

Translating trial-based molecular monitoring into clinical practice: importance of international standards and practical considerations for community practitioners

<http://www.equator-network.org/reporting-guidelines/translating-trial-based-molecular-monitoring-into-clinical-practice-importance-of-international-standards-and-practical-considerations-for-community-practitioners/>

Canadian Association of Gastroenterology consensus guidelines on safety and quality indicators in endoscopy

<http://www.equator-network.org/reporting-guidelines/canadian-association-of-gastroenterology-consensus-guidelines-on-safety-and-quality-indicators-in-endoscopy/>

Reporting standards for literature searches and report inclusion criteria: making research syntheses more transparent and easy to replicate

<http://www.equator-network.org/reporting-guidelines/reporting-standards-for-literature-searches-and-report-inclusion-criteria-making-research-syntheses-more-transparent-and-easy-to-replicate/>

Using the Spinal Cord Injury Common Data Elements

<http://www.equator-network.org/reporting-guidelines/using-the-spinal-cord-injury-common-data-elements/>

An introduction to standardized clinical nomenclature for dysmorphic features: the Elements of Morphology project

<http://www.equator-network.org/reporting-guidelines/an-introduction-to-standardized-clinical-nomenclature-for-dysmorphic-features-the-elements-of-morphology-project/>

Recommendations for the reporting of foot and ankle models

<http://www.equator-network.org/reporting-guidelines/recommendations-for-the-reporting-of-foot-and-ankle-models/>

Do the media provide transparent health information? A cross-cultural comparison of public information about the HPV vaccine

<http://www.equator-network.org/reporting-guidelines/do-the-media-provide-transparent-health-information-a-cross-cultural-comparison-of-public-information-about-the-hpv-vaccine/>

Development and validation of reporting guidelines for studies involving data linkage

<http://www.equator-network.org/reporting-guidelines/development-and-validation-of-reporting-guidelines-for-studies-involving-data-linkage/>

A new manner of reporting pressure results after glaucoma surgery

<http://www.equator-network.org/reporting-guidelines/a-new-manner-of-reporting-pressure-results-after-glaucoma-surgery/>

Guidelines for assessment of bone microstructure in rodents using micro-computed tomography

<http://www.equator-network.org/reporting-guidelines/guidelines-for-assessment-of-bone-microstructure-in-rodents-using-micro-computed-tomography/>

Disaster medicine reporting: the need for new guidelines and the CONFIDE statement

<http://www.equator-network.org/reporting-guidelines/disaster-medicine-reporting-the-need-for-new-guidelines-and-the-confide-statement/>

Developing a guideline to standardize the citation of bioresources in journal articles (CoBRA)

<http://www.equator-network.org/reporting-guidelines/cobra/>

Instrumental variable methods in comparative safety and effectiveness research

<http://www.equator-network.org/reporting-guidelines/instrumental-variable-methods-in-comparative-safety-and-effectiveness-research/>

Reporting of data from out-of-hospital cardiac arrest has to involve emergency medical dispatching - taking the recommendations on reporting OHCA the Utstein style a step further

<http://www.equator-network.org/reporting-guidelines/reporting-of-data-from-out-of-hospital-cardiac-arrest-has-to-involve-emergency-medical-dispatching-taking-the-recommendations-on-reporting-ohca-the-utstein-style-a-step-further/>

A tool to analyze the transferability of health promotion interventions

<http://www.equator-network.org/reporting-guidelines/a-tool-to-analyze-the-transferability-of-health-promotion-interventions/>

A position paper on standardizing the nonneoplastic kidney biopsy report

<http://www.equator-network.org/reporting-guidelines/a-position-paper-on-standardizing-the-nonneoplastic-kidney-biopsy-report/>

Using qualitative methods for attribute development for discrete choice experiments: issues and recommendations

<http://www.equator-network.org/reporting-guidelines/using-qualitative-methods-for-attribute-development-for-discrete-choice-experiments-issues-and-recommendations/>

Too many digits: the presentation of numerical data

<http://www.equator-network.org/reporting-guidelines/too-many-digits-the-presentation-of-numerical-data/>

Setting number of decimal places for reporting risk ratios: rule of four

<http://www.equator-network.org/reporting-guidelines/setting-number-of-decimal-places-for-reporting-risk-ratios-rule-of-four/>

Transparent reporting of a multivariable prediction model for individual prognosis or diagnosis (TRIPOD): The TRIPOD statement

<http://www.equator-network.org/reporting-guidelines/tripod-statement/>

Protecting the power of interventions through proper reporting

<http://www.equator-network.org/reporting-guidelines/protecting-the-power-of-interventions-through-proper-reporting/>

Designing and reporting case series in plastic surgery

<http://www.equator-network.org/reporting-guidelines/designing-and-reporting-case-series-in-plastic-surgery/>

Reporting of interaction

<http://www.equator-network.org/reporting-guidelines/reporting-of-interaction/>

Head, neck, and brain tumor embolization guidelines

<http://www.equator-network.org/reporting-guidelines/head-neck-and-brain-tumor-embolization-guidelines/>

Reporting outcomes of back pain trials: a modified Delphi study

<http://www.equator-network.org/reporting-guidelines/reporting-outcomes-of-back-pain-trials-a-modified-delphi-study/>

A common language in neoadjuvant breast cancer clinical trials: proposals for standard definitions and endpoints

<http://www.equator-network.org/reporting-guidelines/a-common-language-in-neoadjuvant-breast-cancer-clinical-trials-proposals-for-standard-definitions-and-endpoints/>

Viscerotropic disease: case definition and guidelines for collection, analysis, and presentation of immunization safety data

<http://www.equator-network.org/reporting-guidelines/viscerotropic-disease-case-definition-and-guidelines-for-collection-analysis-and-presentation-of-immunization-safety-data/>

Immunization site pain: case definition and guidelines for collection, analysis, and presentation of immunization safety data

<http://www.equator-network.org/reporting-guidelines/immunization-site-pain-case-definition-and-guidelines-for-collection-analysis-and-presentation-of-immunization-safety-data/>

Diarrhea: case definition and guidelines for collection, analysis, and presentation of immunization safety data

<http://www.equator-network.org/reporting-guidelines/diarrhea-case-definition-and-guidelines-for-collection-analysis-and-presentation-of-immunization-safety-data/>

Guidelines for uniform reporting of body fluid biomarker studies in neurologic disorders

<http://www.equator-network.org/reporting-guidelines/guidelines-for-uniform-reporting-of-body-fluid-biomarker-studies-in-neurologic-disorders/>

Can the Brighton Collaboration case definitions be used to improve the quality of Adverse Event Following Immunization (AEFI) reporting? Anaphylaxis as a case study

<http://www.equator-network.org/reporting-guidelines/can-the-brighton-collaboration-case-definitions-be-used-to-improve-the-quality-of-adverse-event-following-immunization-ae-fi-reporting-anaphylaxis-as-a-case-study/>

Definitions, methodological and statistical issues for phase 3 clinical trials in chronic myeloid leukemia: a proposal by the European LeukemiaNet

<http://www.equator-network.org/reporting-guidelines/definitions-methodological-and-statistical-issues-for-phase-3-clinical-trials-in-chronic-myeloid-leukemia-a-proposal-by-the-european-leukemianet/>

A new standardized format for reporting hearing outcome in clinical trials

<http://www.equator-network.org/reporting-guidelines/a-new-standardized-format-for-reporting-hearing-outcome-in-clinical-trials/>

A proposed taxonomy of terms to guide the clinical trial recruitment process

<http://www.equator-network.org/reporting-guidelines/a-proposed-taxonomy-of-terms-to-guide-the-clinical-trial-recruitment-process/>

MORECare statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews

<http://www.equator-network.org/reporting-guidelines/morecare-statement/>

The PRISMA Extension Statement for Reporting of Systematic Reviews Incorporating Network Meta-analyses of Health Care Interventions: Checklist and Explanations

<http://www.equator-network.org/reporting-guidelines/prisma-extension-network-meta-analyses/>

Minimum data elements for research reports on CFS

<http://www.equator-network.org/reporting-guidelines/minimum-data-elements-for-research-reports-on-cfs/>

Reporting standards for angiographic evaluation and endovascular treatment of cerebral arteriovenous malformations

<http://www.equator-network.org/reporting-guidelines/reporting-standards-for-angiographic-evaluation-and-endovascular-treatment-of-cerebral-arteriovenous-malformations/>

How to report low-level laser therapy (LLLT)/photomedicine dose and beam parameters in clinical and laboratory studies

<http://www.equator-network.org/reporting-guidelines/how-to-report-low-level-laser-therapy-lltphotomedicine-dose-and-beam-parameters-in-clinical-and-laboratory-studies/>

A structured approach to documenting a search strategy for publication: a 12 step guideline for authors

<http://www.equator-network.org/reporting-guidelines/a-structured-approach-to-documenting-a-search-strategy-for-publication-a-12-step-guideline-for-authors/>

Common data elements for posttraumatic stress disorder research

<http://www.equator-network.org/reporting-guidelines/common-data-elements-for-posttraumatic-stress-disorder-research/>

Reporting Guidelines for Clinical Pharmacokinetic Studies: The ClinPK Statement

<http://www.equator-network.org/reporting-guidelines/clinpk/>

American College of Medical Genetics standards and guidelines for interpretation and reporting of postnatal constitutional copy number variants

<http://www.equator-network.org/reporting-guidelines/american-college-of-medical-genetics-standards-and-guidelines-for-interpretation-and-reporting-of-postnatal-constitutional-copy-number-variants/>

Completeness of reporting of radiation therapy planning, dose, and delivery in veterinary radiation oncology manuscripts from 2005 to 2010

<http://www.equator-network.org/reporting-guidelines/completeness-of-reporting-of-radiation-therapy-planning-dose-and-delivery-in-veterinary-radiation-oncology-manuscripts-from-2005-to-2010/>

A call for transparent reporting to optimize the predictive value of preclinical research

<http://www.equator-network.org/reporting-guidelines/a-call-for-transparent-reporting-to-optimize-the-predictive-value-of-preclinical-research/>

Criteria for Reporting the Development and Evaluation of Complex Interventions in healthcare: revised guideline (CReDECI 2)

<http://www.equator-network.org/reporting-guidelines/credec2/>

Standards of reporting for MRI-targeted biopsy studies (START) of the prostate: recommendations from an International Working Group

<http://www.equator-network.org/reporting-guidelines/standards-of-reporting-for-mri-targeted-biopsy-studies-start-of-the-prostate-recommendations-from-an-international-working-group/>

The CONSORT Statement: Application within and adaptations for orthodontic trials

<http://www.equator-network.org/reporting-guidelines/the-consort-statement-application-within-and-adaptations-for-orthodontic-trials/>

Preferred Reporting Items for Systematic Review and Meta-Analyses of individual participant data: the PRISMA-IPD Statement

<http://www.equator-network.org/reporting-guidelines/prisma-ipd/>

Standardized reporting guidelines for emergency department syncope risk-stratification research

<http://www.equator-network.org/reporting-guidelines/standardized-reporting-guidelines-for-emergency-department-syncope-risk-stratification-research/>

A protocol format for the preparation, registration and publication of systematic reviews of animal intervention studies

<http://www.equator-network.org/reporting-guidelines/a-protocol-format-for-the-preparation-registration-and-publication-of-systematic-reviews-of-animal-intervention-studies/>

CONSORT extension for reporting N-of-1 trials (CENT) 2015 Statement

<http://www.equator-network.org/reporting-guidelines/consort-cent/>

Strengthening the Reporting of Observational Studies in Epidemiology for Respondent-Driven Sampling Studies: 'STROBE-RDS' Statement

<http://www.equator-network.org/reporting-guidelines/strobe-rds/>